



● **Naturale Rettificato**
Unpolished Rectified
Matt Rektifiziert
Naturel Rectifié



T.U.



T.U. 01 Cold White




T.U. 03 Grey



T.U. 05 Anthracite



T.U. 07 Cold Black



T.U. 11 Warm White



T.U. 13 Havana




T.U. 15 Moka








T.U. 17 Warm Black

gres++
HI-TECH INSIDE



SUPERFICI SURFACES OBERFLÄCHEN SURFACES

- **Naturale Rettificato**
Unpolished Rectified
Matt Rektifiziert
Naturel Rectifié

Formati	Colori	Naturale Rettificato Unpolished Rectified Matt Rektifiziert Naturel Rectifié	Scatole			Pallet			Spessore Thickness Stärke Epaisseur
			Pz/Sc Pcs/Box Stck/Kart. Pcs/Boîte	Mq/Sc Sqm/Box Qm/Kart. M²/Boîte	Kg/Sc Kg/Box Kg/Kart. Kg/Boîte	Colli Boxes Kart Boîtes	Mq Sqm Qm M²	Kg Kg Kg Kg	
 60x60 - 24"x24"	01 Cold White 03 Grey 05 Anthracite 07 Cold Black 11 Warm White 13 Havana 15 Moka 17 Warm Black	TU6001R TU6003R TU6005R TU6007R TU6011R TU6013R TU6015R TU6017R	4	1,44	35	30	43,20	1060	11 mm
 30x60 - 12"x24"	01 Cold White 03 Grey 05 Anthracite 07 Cold Black 11 Warm White 13 Havana 15 Moka 17 Warm Black	TU3601R TU3603R TU3605R TU3607R TU3611R TU3613R TU3615R TU3617R	6	1,08	26,5	40	43,20	1070	11 mm
 10x60 - 4"x24"	01 Cold White 03 Grey 05 Anthracite 07 Cold Black 11 Warm White 13 Havana 15 Moka 17 Warm Black	TU1601R TU1603R TU1605R TU1607R TU1611R TU1613R TU1615R TU1617R	11	0,66	16,7	50	33,0	845	11 mm
 30x30 - 12"x12"	01 Cold White 03 Grey 05 Anthracite 07 Cold Black 11 Warm White 13 Havana 15 Moka 17 Warm Black	TU3001R TU3003R TU3005R TU3007R TU3011R TU3013R TU3015R TU3017R	10	0,90	22,2	48	43,20	1076	11 mm
 75x60 - 3"x24" Battiscopa - Bullnose Sockel - Plinthe	01 Cold White 03 Grey 05 Anthracite 07 Cold Black 11 Warm White 13 Havana 15 Moka 17 Warm Black	TUB601R TUB603R TUB605R TUB607R TUB611R TUB613R TUB615R TUB617R	22	Mi 13,2	33,4				



15 Moka 30x60 - 12"x24" Naturale Rettificato
 15 Moka 10x60 - 4"x24" Naturale Rettificato



Gres Porcellanato Porcelain Stoneware Feinsteinzeug Grès Cérame EN 14411:2012 ANNEX G GROUP Bla UGL



(V2): Piastrelle con lieve variazione di tono e disegno
 Tiles with slight shade and aspect variation
 Fliesen mit leicht unterschiedlichen Tonalitäten und Muster
 Carreaux avec faible différence de nuance et structure



Pavimento - Floor coverings
 Bodenbeläge - Sol



Rivestimento - Wall coverings
 Wandbeläge - Faïence



Residenziale - Residential areas
 Wohngebiete - Zones résidentielles



Esterno
 Outdoor areas - Außenbereiche
 Espaces extérieurs



Traffico leggero
 Light traffic areas - Geringe Begehungsfrequenz
 Zones à trafic léger



Traffico pesante
 Heavy traffic areas - Starke Begehungsfrequenz
 Zones à trafic intense



Zone limitrofe a piscina
 Swimming pool areas - Schwimmbadbereich
 Abords de piscines



Rivestimenti esterni / Pareti ventilate
 External cladding / Ventilated facade - Außenverkleidung / Hinterlüftete Fassaden
 Murs extérieurs / Façades ventilées



Fino a 100 grafiche differenti
 Up to 100 different graphics
 Jusqu'à 100 graphiques différentes
 Bis zu 100 verschiedene Grafiken



> 30% Elevato contenuto di materiale riciclato
 High content of recycled material
 Hoher Anteil an Recyclen Rohstoffen
 Haute teneur en matériaux recyclés

Pag. 629



Resistente al gelo



DRY: > 0,40
 WET: > 0,40



Naturale
 DRY: ≥ 0.42